Nº 19416

A Survey under the joint auspices of the National Birthday Trust Fund and the Royal College of Obstetricians and Gynaecologists

Please complete the enquiry for all babies born (alive or dead) after the **24th week** of gestation from 00.01 hours on Sunday 5th April, 1970 to 24.00 hours on Saturday 11th April, 1970 whether born in hospital, at home or elsewhere.

Part I relates to information not usually included in the clinical records. It will be necessary to interview the mother as soon as possible after the birth.

Part II is concerned with antenatal care and with the delivery. Complete soon after birth using all the available records, discussing with the doctor or anyone else concerned with the care of the mother and baby.

Part III relates to the first seven days after the birth. Keep it up-to-date daily, if possible, so that it is immediately available if the mother moves. If the mother and baby are separated, complete the form for the mother first and then forward it for the baby section to be completed.

Most questions are pre-coded and except where otherwise stated should be answered by ringing one or more numbers as appropriate. Please complete one section at least in each question. Do not leave a question blank.

For Multiple Births, please complete the whole form for the first baby. For each of the other babies, question 1 of Part I should be filled in and then question 25 of Part II onwards, on a separate form.

When the form is complete it should normally be returned to the supervisor of midwives, the superintendent midwife, or the matron of the hospital unless other arrangements have been made locally.

PART I

With this form there is a letter for the mother. Please hand it to her before starting the questionnaire.

| 1–5 | 6 |
|-----|---|

Questions 1-11 should be filled in by interviewing the mother. If you are unable to do this, please use the records. MULTIPLICITY CODE = ACCOS For Office Name and Address: Hospital number Use Only Full name of the mother Mother's maiden name Address of mother's normal place of residence ACCO'+C County or County Borough..... Address where this delivery occurred..... 8-11 2 Date of birth of mother: For Office 4 Age at which full-time education was Use Only completed (including college or univer-sity) (12-17)Mother of baby ACCO3 vears Father of baby ACCIO vears (24 - 27)3 Town and Country of birth: 5 Date of present marriage: Mother of baby ACICOBA ACCII Y / /19 (28-33) 18-19 Father of baby ACCUTT 6 Present marital status: ACC/2 Single1 20-21 Married Widowed Mother's mother ACCOSA (34) Divorced4 22-23 Separated Not known OMARITAL CONCEPTION = AUCIZA Mother of baby (Before this pregnancy) Husband A0013 AUU17 Occupation Actual job..... 35-38 A0014 A0018 Description of job Self-employed Employing 25 or more persons A0015 ACC19 1 Employing fewer than 25 persons 39 Not self employed Supervising others e.g. foreman, manager etc..... 3 3 Not supervising others..... 4 4 Employed at present 1 1 40-43 Unemployed at present

| | For Office Use Only | | For Office Use Only |
|--|------------------------|---|------------------------|
| 8 Does the mother care for children at home (including adopted and foster children)? | | 10 What type of antenatal preparation did the mother receive during this pregnancy? | |
| Yes ACC2C 1 | | a) !n mothercraft (e.g. care of the baby) | |
| 1 | | None A0037 1 | |
| No2 | (44) | Individual instruction2 | |
| Not known0 | | Class instruction | |
| If YES: give details of who is looking after | | L.H.A. Clinic3 | |
| them now. | | Hospital4 | (64) |
| SEE PAGE 2a Number of | | Other (specify)5 | |
| children | | | |
| Living at home | | Not known0 | |
| Looked after by Home . Help | | b) In preparation for labour (e.g. exercises, relaxation, etc.) | |
| With child minder | | None ACO38 1 | |
| At a day nursery | | Individual instruction2 | |
| Other | 45-48 | Class instruction | |
| Not known | 45-48 | L.H.A. Clinic3 | |
| Living a super first to | | Hospital4 | (65) |
| Living away from home | | Other (specify)5 | |
| With friends and relatives | | | |
| With foster parents | | Not known0 | |
| In residential nursery | | | |
| In residential school | 49-52 | 11 Smoking: 40043B | |
| Other | | a) Does the mother smoke now? | |
| | | Yes1 | |
| | | No2 | (66) |
| | | Not known0 | |
| | | b) If NO to 11a, did she ever smoke? | |
| | | Yes1 | |
| | | No2 | (67) |
| | | Not known0 | (01) |
| | | | |
| 9 Since January, 1968 was any form of | | c) If YES to 11b how long ago did she stop? | |
| contraception used ? | | yearsmonths | (68–70) |
| Yes ACO29A 1 | | d) How much does/did she smoke? Cigarettes per day | |
| No2 | (53) | 1–41 | |
| Not known0 | | 5–142 | |
| If YES: what method was used | | 15–243 | (71) |
| Pill | | 25 or more | (11) |
| Alone A0029B 1 | | Not known 0 | |
| With other method2 | (54) | (VOL KITOWH | |
| Other methods | | e) Has she smoked during this pregnancy? | |
| Not known0 | | Yes1 | |
| V 1 5W | | No2 | (72) |
| If the Pill was used: | | Not known0 | |
| How many different brands have been used? A CC 29C | | | |
| | (55) | 12 Part I was completed by: | |
| Name(s) of Pills used and period taken | | Interviewing the mother AOO 44-B ₁ | |
| ACC 296 to | | Using records | |
| A 60 29 G to to | | Hospital 40044C 2 | |
| ACC 29 1 to | 56-59 | G.P. ACO44D 3 | (73) |
| ACO 29 K to | , | Midwife A0044E 4 | |
| 10029 M to | | Co-operation Card ACC44F 5 | |
| SEE PAGE 2a to | 60-63 | Other (specify) ACC 44G 6 | |
| Brands not known 1 | L | NO INDICATION : ACC44A | |

Page 2a

Q8. Does the mother care for children at home (including adopted and foster children)?

Details of who cares 1st instance= A0021 No. children 1st instance= A0022 Details of who cares 2nd instance= A0023 No. children 2nd instance= A0024 Details of who cares 3rd instance= A0025 No. children 3rd instance= A0026 Details of who cares 4th instance= A0027 No. children 4th instance= A0028

Q9. Since January, 1968 was any form of contraception used?

Month stopped Pill= A0029D
Months on Pill 1= A0029F
Months on Pill 2= A0029H
Months on Pill 3= A0029J
Months on Pill 4= A0029L
Months on Pill 5= A0029N

Any gaps between contraceptive use= A0029P

13 Previous pregnancies

7

Give details of all previous pregnancies (include miscarriages and ectopics) in the order of occurence (the earliest first)

| Sex Livebirths | | | | Method | Record any of the following w | |
|---|----|-------------------------|------|---------------------------------|---|----------------------------------|
| Date Birth Alive Age at Death Weight Now | | Mis. | Ect. | of Delivery | Pre-eclamptic toxaemia, A Surgical Induction or a conge | v.P.H., P.P.H. nital abnormal |
| Month Year Under 7 days 7 days & over | | | | | ilty of the baby. | |
| ACUSE ACCS ACUSH AQCS5 | | | | A0056 | | |
| ACO58 ACO59 ACOGC ACO61 | | | | A0062 | | |
| A0064 A0065 A0066 A0067 | | | | A0068 | | |
| 40070 A0071 A0072 A0073 | | | | A0074 | | |
| A0076 A0077 A0078 A0079 | | | | ACC80 | | |
| 40082 A0083 AU084 A0085 | | | | A0U86 | | |
| ACO88 ADOST ACO90 ACO91 | | | | A0092 | | |
| ACOM AGIOD ACIGI ACIO2 | | | | A0103 | | |
| 40105 ADIOG ADIOT ADIOS | | | | A0109 | | |
| AUII AUIZ AUIZ AUIY | | | | A0115 | | |
| ACI17 ACI18 ACI19 ACI20 | | | | A0121 | | |
| AC123 AC124 A 0125 AC126 | | | | A0127 | | |
| AU129 AU130 AU131 AU132 | | | | A0133 | | |
| A0135 A0136 A0137 A0138 | | | | A0139 | | |
| AC146 AC147 AC148 AC149 | | | | A0150 | | |
| 40152 AD153 AD154 AC155 | | | | AC156 AC162 | | |
| | - | 3 7 | | | tht of the mother ins or AC197 cms. | Use Only (25–27) |
| 14 Total number of recorded antenatal visits A 0 190 Date of first visit A 0 191 /19 Date of last visit A 0 19/2 /19 | (| 8-9) 10-13) 4-17) | | AB | A0198 1 2 3 4 | (28) |
| Who undertook the antenatal care? Hospital medical staff AC193A 1 L.H.A. M.O. AC193B 2 G.P. AC193C 3 | | | | Not known Rh factor Positive | 0 10199 1 | |
| Midwife Hospital G.P. Unit Domiciliary A0193F A0193F 6 | | (18) | | Not known | 2 0 | (29) |
| Other (specify) | | | | Absent | AU200 1 2 0 | (30) |
| antenatal care shared, was this By previous arrangement | | | | | globin estimations done? A0201 1 | |
| Because of some abnormality which arose during pregnancy2 Some other reason | | (19) | | Not known | 2 0 46.909 | (31) |
| Not known0 | | | | | ber of times estimated AC2C2 | (32–33) |
| 15 What was the first day of the last normal menstrual period? | | | | Highest value. Lowest value. | 90203A _{Date} A02035 ₁₉ 0204A _{Date} A02046 ₁₉ | (34-37) (38-41) |
| /1969 | (: | 20-23) | | W.R. or simil | | |
| Was this date recorded as being | | | | Negative | A0206 1 | 42-43 |
| Certain <u>AO 196</u> 1 | | | | | 2 | ,, |
| | | (24) | | | 3 | (44) |
| Uncertain2 | | | | | | |

Page 3a

Q13. Previous pregnancies

No. previous pregnancies= A0163

No. Previous pregnancies (entries on file)= A0164

No. twinned pregnancies= A0165

Parity= A0166

No. previous miscarriages= A0167

No. previous pregnancies miscarried= A0168

No. previous stillbirths= A0169

No. previous deaths <7 days= A0170

No. previous deaths 7 days+= A0171

Q15. What was the first day of the last normal menstrual period?

Gestational age in days= A0195A Gestational age in months= A0195B Is the last normal menstrual period date believable?= A0196A

Q17. Were haemoglobin estimations done?

Highest haemoglobin estimation= A0205A Lowest haemoglobin estimation= A0205B

| 8 | Blood pressures during antenatal | Reading | Date | For Office Use Only | 23 Where was the mother deli | Use O |
|---|---|--|---------------------------|------------------------|--|---|
| | period | neading | Date | , | At home <u>A0242</u> | 1 |
| | First (or only) | / | | (45–63) | In an N.H.S. Consultant Ho | |
| ĺ | Highest systolic | | | (54–62) | Consultant bed G.P. bed | |
| | Highest diastolic | | | (63–71) | N.H.S. G.P. Maternity Unit | |
| | Last before labour | · | i I | (72-80) | resident medical officer | |
| | | 1 | | | Private | |
| | Not recorded | , | | 4 | Other (specify) | |
| į | Not known | 2 |] | 7 | Cirici (Specify) | |
| | Was there any non | -infective | | | Was the mother booked for d | |
| | proteinuria? YesA | 0926 | | | place where her confinement of | curred? |
| | | | | 40) | Yes A0243 | |
| | No Not known | | | (8) | No | 2 (52) |
| | | | | | Not known | þ |
| | Was pitting oeden YesA | 1a present/ 1997チ | , 1 | | If YES , give the date of booking | j |
| | No | | | (9) | AO244A /AO244B/19 | (53-56 |
| | Not known | | | (3) | 04 D: 11 1 | |
| , | | | | - | 24 Did labour start | |
| | Were there any ed labour? | - | · | | Spontaneously 40246 | |
| | Yes AC | 228 | 1 | | Induced | 1 ' |
| | No | | | (10) | Not known | 0 |
| | Not known | | 0 | | If INDUCED, what methods w | ere used? |
| | | | | | Oxytocic Drugs | |
|) | Has the mother cli | inical diabet | es? | | Intravenous Drip AO2 | 6A 1 |
| | Yes AC | | | | Buccal A02 | 6 B 2 |
| | No | | | (11) | Other HON | 6 6 3 (58) |
| | Not known | | 0 | | Artificial rupture of membra | es A02460 |
| _ | | •• | | | Other (specify) OBE OES | RUGENS-1402461 |
| 1 | Was there any blee tract after the las | ding from tl it period ar | ne genital Id before | | BY MEMBRANE SWEE | > A024GF |
| | the onset of labou | r? | | | Not known | 9,,, |
| | Yes A | 023C | 1 | (12) | Not known らす ひxy TONIC DRUG What was the time interval I | tween the |
| | No | | 2 | | rupture of the membrane | and the |
| | Not known | | | | delivery? Less than 24 hours | 7 1 |
| | f YES:—Number of | | | (13-14) | | |
| | Date of first (or only) | bleed #9%/5 | /19 | (15-18) | 24–47 hours | |
| | Date of last bleed | HU403 | /19 | (19-22) | 48 hours or more | |
| , | Cause - Placenta Praevia | A0234 | 1 | | Not known | 0 |
| | Accidental Haemor | | | | 25 Was the birth | |
| | (Abruptio Placenta | e) | 2 | (23) | Single <u>A0248</u> | . |
| | Threatened Abortio | n | 3 | | | |
| | Other (Specify) | •• | 4 | | Twin | |
| | | | | | Triplet | (00) |
| | K-rays taken of pregnancy | the mothe | r during | | Other (specify) | 1 |
| ٠ | | | 1 | | (NOTE: A separate form is required baby. For babies other than the f | for each |
| | None Chest | A0235A | 2 | | plete question 1 (Part I) and remainder of the form from this | hen the |
| | Abdomen | 40235B | 3 | (24) | remainder of the form from this onward). | juestion ' ' ' ' |
| | Pelvis | A0235C | 4 | | Date of birth/April/19 | /0 |
| | Other (specify) | A0235D | 5 | | Hour of birth A0253 a.m. | |
| | Not known | | 0 | (25) | | , |
| _ | | | | | What was the outcome of the d Prior to 28 weeks of gestation | ivery? |
| , | Did the mother had luring the antenat | ve any inpat tal period / | excluding | 26–29 | Abortion | 1 |
| ě | admissions in labo | our or false | labour?) | 20-23 | Livebirth | |
| | Yes A | 223€ | 1 | | 28 weeks or more gestation | |
| | No | | | 30-33 | Stillbirth | (15) |
| | Not known | | | 00-33 | Livebirth | • |
| I | f YES: —Give date(s | s) of admission | on(s) | | Sex | *************************************** |
| | SEE PAGE | 4a | | 34–37 | Male A0255 | 1 |
| F | Place of admission | | | | Female | . 1 |
| • | N.H.S. Consultant I | Hospital | | (38) | Not known | |
| | Consultant bed | • | 1 | | NOT KHOWN | |
| | G.P. bed | | | 39-42 | 26 Give the length of such at | of labour |
| | N.H.S. G.P. Matern | | | | 26 Give the length of each stag | oriabour |
| | medical officer | • | | | Stage Hours | linutes |
| | Private | | | 43-46 | F | |
| | Other (specify) | | 5 | | First AU256 | (17–20) |
| | Not known | | | | Second A0257 | (21–22) |
| | | | | | · · · · · · · · · · · · · · · · · · · | I |
| | f discharged prior lischarge(s) | to labour d | ate(s) of | 47–50 | Third A0258 | (23-24) |

Page 4a

Q18.

| Blood pressures during antenatal | Rea | ıding | Da | ate |
|----------------------------------|----------|-----------|-------|-------|
| period | Systolic | Diastolic | Day | Month |
| First (or only) | A0207 | A0208 | A0209 | A0210 |
| Highest systolic | A0211 | | A0213 | A0214 |
| Highest diastolic | | A0216 | A0217 | A0218 |
| Last before labour | A0219 | A0220 | A0221 | A0222 |
| Not recorded | | 1 | | |
| Not known | | 2 | | |

Diastolic at time of highest systolic= A0212 Systolic at time of highest diastolic= A0215

Q22. Did the mother have any inpatient care during the antenatal period (excluding admissions in labour or false labour?)

No. times mother discharged= A0237

Date of 1st/Only admission (days)= A0238A

Date of 1st/Only admission (months)= A0238B

Date discharged from 1st admission (days)= A0239A

Date discharged from 1st admission (months)= A0239B

Date of last admission (days)= A0240A

Date of last admission (months)= A0240B

Date of last discharge (days)= A0241A

Date of last discharge (months)= A0241B

| During labour did the fetal heart rate Remain between 120 and 160 | For Office Use Only | 31 When was regular respiration established? | For Offic Use Only |
|--|------------------------|--|---|
| Rise above 160 | (25) | Less than 1 minuteAO 27O_1 | Ose Om |
| Fall below 120 | (23) | | |
| | ĺ | 1-3 minutes2 More than 3 minutes3 | |
| Not known0 | | | (37) |
| Other recordings made on the fetus | i | Not known0 | |
| None | | Administration of oxygen | |
| | | None A0271 1 | |
| Scalp blood sampling3 | (26) | Face funnel A0271 A 2 | |
| Sonar records4 | | Face mask AC271B 3 | |
| Other (specify)5 | | Nasal tube A0971C 4 | (38) |
| | | Endotracheal tube AOZガカ 5 | (30) |
| Was there passage of meconium? | | 1 Incubator 名びくガモーら I | |
| Yes <u>A0261A</u> 1 | | Other (specify) AOSTIF 7 | |
| No2 | (27) | Other (specify) | |
| | ` í | National Commence of the Comme | |
| Not known 0 RULAPSED CORD = 402613 | | Not known0 | |
| Delivery | | Other methods of resuscitation None AC272 1 | |
| Spontaneous cephalic | | Mouth to mouth resuscitation A0272A | |
| anterior $AO2C2$ 1 | [| Mouth to mouth resuscitation | - |
| posterior2 | 1 | Mucus extraction AC272B 3 | (39) |
| Spontaneous breech 3 | | Stomach aspiration A027&C 4 | 4070A |
| Operative delivery | | Other (specify) DESOPHAGEAL TUBE = | 102720 |
| Forceps | | EXT CARDIAC MASSAGE : A0272 | - |
| Cephalic4 | (28) | Not known TRACHEAL TUBE - A0172F Was Vitamin K (e.g. Synkavit, | |
| With Breech5 | | Was Vitamin K (e.g. Synkavit. | |
| Other (specify)6 | | Konakion) given? | |
| Other (Specify) | ļ | Yes <u>A0273</u> 1 | |
| Caesarean Section | | No2 | (40) |
| | | Not known0 | (/ |
| Vacuum Extraction | | Ware and drawn manhulastically? | |
| Other (specify) | | Were eye drops used prophylactically? None1 | |
| 0.1. ():() | | I I | |
| Other (specify)0 | | Albucid2 | (41) |
| | | Silver Nitrate3 | |
| | | Other (specify)4 | |
| Relief of pain during labour | | 1 | |
| Analgesics | 1 | Not known0 | |
| (1 7 1 22 | į | Did the baby have: | |
| Gas/Oxygen A0263 1 | | Lethidrone (Nalorphine) | |
| Gas/Air2 | (29) | Lethidrone (Nalorphine) Yes1 | |
| Trilene3 | | No2 | (42) |
| Drugs AC 9 C IL | | Not known0 | (,_, |
| Pethidine | | 1 | |
| Pethilorfan2 | | Vanillic Acid (Vandid) | |
| Morphia3 | | 10076 | |
| | (30) | Vanillic Acid (Vandid) Yes1 | |
| Fortral4 | (30) | No2 | (43) |
| Fortral4 Psychoprophylaxis1 | (30) | 1 | (43) |
| | ` . | No2 Not known0 Other treatments given to baby | (43) |
| Psychoprophylaxis | (30) | No2 Not known0 Other treatments given to baby | (43) |
| Psychoprophylaxis | ` . | No | |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACRES 4 | ` . | No | (43) (44) |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACRES 4 | ` . | No | |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACLES 4 Anaesthetics during and after labour | ` . | No | |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACSCS 4 Anaesthetics during and after labour Before baby After baby | ` . | No | |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACRES 4 Anaesthetics during and after labour Before baby 5 After baby 5 born | (31) | No | |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACSCS 4 Anaesthetics during and after labour Before baby After baby | ` . | No | (44) |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACSCS 4 Anaesthetics during and after labour Before baby born born General ACSCCAA1 ACSCCAA1 Caudal 2 | (31) | No | |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACSCS 4 Anaesthetics during and after labour Before baby born born General ACSCCAA1 ACSCCAA1 Caudal 2 Endural ACSCCAA3 ACSCCCAA3 | (31) | No 2 Not known 0 Other treatments given to baby None AC277 1 Yes (specify) 2 Not known 0 32 Birthweight of baby Ibs ozs. or AC278 gm Age of baby when weighed | (44) |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACRES 4 Anaesthetics during and after labour Before baby born born General ACREGAA1 ACREGAA1 Caudal 2 Epidural ACREGAA 3 ACREGAA3 Local ACREGAC 4 ACREGAA | (31) | No 2 Not known 0 Other treatments given to baby None AC277 Yes (specify) 2 Not known 0 32 Birthweight of baby Ibs ozs. or AC278 gm | (44) |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACSCS 4 Anaesthetics during and after labour Before baby born born General ACSCAA1 ACSCCAA1 Caudal 2 Epidural ACSCCAA3 ACSCCAA3 Local ACSCCAC 4 ACSCCAC4 Other ACSCCAAD 5 | (31) | No 2 Not known 0 Other treatments given to baby None AC277 1 Yes (specify) 2 Not known 0 32 Birthweight of baby Ibs ozs. or AC278 gm Age of baby when weighed | (44) |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACSCS 4 Anaesthetics during and after labour Before baby born born General ACSCCAA1 ACSCCAA1 Caudal 2 Epidural ACSCCAA3 ACSCCCAA3 Local ACSCCAC 4 ACSCCCAC4 Other ACSCCAAD 5 SKY WEIGHT ACSCCAA ACSCCCA | (31) | No | (44) (45-48) |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACSCS 4 Anaesthetics during and after labour Before baby After baby born born General ACSCCAA1 ACSCCAA1 Caudal 2 Epidural ACSCCAC 4 Other ACSCCAC 4 Other ACSCCAC 5 Other ACSCCAC ACSCCAC Did a postpartum haemorrhage of | (31) | No | (44) |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACRES 4 Anaesthetics during and after labour Before baby After baby born born General ACREGAA1 ACREGAA1 Caudal 2 Epidural ACREGAA3 ACREGAA3 Local ACREGAC 4 ACREGAA3 Local ACREGAC 5 TKY WEIGHT ACREGA ACREGA Did a postpartum haemorrhage of 500 ml. or more occur? | (31) | No | (44) (45-48) |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) AC2C5 4 Anaesthetics during and after labour Before baby born born General AC2CAA1 AC2CCAA1 Caudal 2 Epidural AC2CCAB 3 AC2CCBA3 Local AC2CCAC 4 AC2CCBCA Other AC2CCAC 4 AC2CCBC Did a postpartum haemorrhage of 500 ml. or more occur? Yes AC2CA 1 | (31) (32-33) | No 2 Not known 0 Other treatments given to baby 1 None AC277 1 Yes (specify) 2 Not known 0 32 Birthweight of baby bs ozs. or AC278 gm Age of baby when weighed Under 12 hours 1 12-23 hours 2 2 24-35 hours 3 36 hours or more 4 Not known 0 | (44) (45-48) |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACSCS 4 Anaesthetics during and after labour Before baby born born General ACSCCAA1 ACSCCBA1 Caudal 2 Epidural ACSCCAB 3 ACSCCBB3 Local ACSCCAC 4 ACSCCBCA3 Local ACSCCAC 4 ACSCCBCAC 5 DIT ACSCCAT ACSCCB Did a postpartum haemorrhage of 500 ml. or more occur? Yes ACSCCA 1 No. 2 | (31) | No 2 Not known 0 Other treatments given to baby 1 None AC277 1 Yes (specify) 2 Not known 0 32 Birthweight of baby 0 Ibs ozs. or AC278 gm Age of baby when weighed 1 Under 12 hours 1 12-23 hours 2 24-35 hours 3 36 hours or more 4 Not known 0 Lowest recorded weight of baby | (44) (45-48) (49) |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACSCS 4 Anaesthetics during and after labour Before baby born born General ACSCCAA1 ACSCCBA1 Caudal 2 Epidural ACSCCAB3 ACSCCBA3 Local ACSCCAC 4 ACSCCBCA3 Local ACSCCAC 4 ACSCCBCB Did a postpartum haemorrhage of 500 ml. or more occur? Yes ACSCA 1 No 2 Not known 0 | (31) (32-33) | No 2 Not known 0 Other treatments given to baby 1 None AC277 1 Yes (specify) 2 Not known 0 32 Birthweight of baby bs ozs. or AC278 gm Age of baby when weighed Under 12 hours 1 12-23 hours 2 2 24-35 hours 3 36 hours or more 4 Not known 0 | (44) (45-48) |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACSCS 4 Anaesthetics during and after labour Before baby born born General ACSCCAA1 ACSCCCAA1 Caudal 2 Epidural ACSCCAB 3 ACSCCCBA3 Local ACSCCAC 4 ACSCCCAC 4 Other ACSCCAC 5 OTHER ACSCCAA ACSCCCB Did a postpartum haemorrhage of 500 ml. or more occur? Yes ACSCCAC 1 No 2 Not known 0 Was a blood transfusion given? | (31) (32-33) | No 2 Not known 0 Other treatments given to baby None AC277 Yes (specify) 2 Not known 0 32 Birthweight of baby bs Ibs ozs. or AC278 gm Age of baby when weighed Under 12 hours 1 Under 12 hours AC279 1 12-23 hours 2 24-35 hours 3 36 hours or more 4 Not known 0 Lowest recorded weight of baby Ibs ozs. or ACSSC gm | (44) (45-48) (49) |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACSCS 4 Anaesthetics during and after labour Before baby born born General ACSCCAA1 ACSCCBA1 Caudal 2 Epidural ACSCCAB 3 ACSCCBA3 Local ACSCCAC 4 ACSCCBCA3 Local ACSCCAC 4 ACSCCBCBCB Did a postpartum haemorrhage of 500 ml. or more occur? Yes ACSCCA 1 No. 2 Not known 0 | (31) (32-33) | No 2 Not known 0 Other treatments given to baby 1 None AC277 1 Yes (specify) 2 Not known 0 32 Birthweight of baby 0 Ibs ozs. or AC278 gm Age of baby when weighed 1 Under 12 hours 1 12-23 hours 2 24-35 hours 3 36 hours or more 4 Not known 0 Lowest recorded weight of baby | (44) (45-48) (49) |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACSCS 4 Anaesthetics during and after labour Before baby born born General ACSCCAA1 ACSCCAA1 Caudal 2 Epidural ACSCCAB 3 ACSCCCBA3 Local ACSCCAC 4 ACSCCCAC4 Other ACSCCAC 5 OTHER ACSCCAC ACSCCACA Did a postpartum haemorrhage of 500 ml. or more occur? Yes ACSCCAC 1 No 2 Not known 0 Was a blood transfusion given? | (31) (32-33) | No | (44) (45-48) (49) |
| Psychoprophylaxis | (31) (32-33) | No | (44) (45-48) (49) |
| Psychoprophylaxis | (31) (32-33) | No | (44) (45-48) (49) |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACSCS 4 Anaesthetics during and after labour Before baby After baby born born General ACSCAA1 ACSCCAA1 Caudal 2 Epidural ACSCCAB 3 ACSCCBB3 Local ACSCCAC 4 ACSCCCAC 4 Other ACSCCAC 5 TKY WEIGHT ACSCCAB 1 No. 2 Not known 0 Was a blood transfusion given? Yes ACSCB 1 No 2 Not known 0 Did the mother have a manual removal of the placenta? | (31) (32-33) | No | (44) (45-48) (49) |
| Psychoprophylaxis 1 Hypnosis 2 Decompression 3 Other (specify) ACSCS 4 Anaesthetics during and after labour Before baby After baby born born General ACSCAA1 ACSCCAA1 Caudal 2 Epidural ACSCCAB 3 ACSCCBB3 Local ACSCCAC 4 ACSCCCAC 4 Other ACSCCAC 5 TKY WEIGHT ACSCCAB 1 No. 2 Not known 0 Was a blood transfusion given? Yes ACSCB 1 No 2 Not known 0 Did the mother have a manual removal of the placenta? | (31) (32-33) | No | (44) (45-48) (49) |
| Psychoprophylaxis | (31) (32-33) | No | (44) (45-48) (49) (50-53) (54-55) |

| Who undertook the delivery? | For Office | 35 Part II was completed by | For Office Use Only |
|--|------------------|---|------------------------|
| Midwife Domiciliary AC283A 1 Hospital A0283B 2 Pupil Midwife A0283C 3 Consultant Obstetrician A0283D 4 Registrar A0283E 5 House Officer A0283F 6 G.P. A0283G 7 | Use Only (57) | Using records Hospital A0284A 1 G.P. A02846 2 Midwife A0284C 3 Co-operation Card A0284D 4 Personal Communication Hospital Doctor A0284E 5 | Use Only (58) |
| Medical Student AC283H 8 Other (specify) AC283T 9 | | G.P. AU284F 6 Midwife AC284G 7 Other (specify) AO284I 8 MOTHER AO284H | |

PART III

| 36 Did the mother have any evidence of eclampsia occurring for the first time in labour or the puerperium? | Use Only | 39 Was lacta Attempte | tion d | | AO2 | 97 | 1 | | For Office Use Only |
|--|--------------------------------|-------------------------------|------------------|---------|--------|-------|---------|---------------|------------------------|
| Yes AC 288 1 | 6 | Not atten | | | | | | | (17) |
| No2 | $\left \frac{7}{(8)} \right $ | Not knov | vn | | , | | 10 | · | |
| Not known0 | | Was it | | | | | | | |
| 37 During the first seven days after the | | Suppress | ed | | 402 | 98 | 1 | | |
| delivery did the mother: | 1 | Not supp | ressed | | | | 2 | | (18) |
| Have any urinary infection? Yes1 | | Not knov | vn | | | | C | | |
| No. 2 | (9) | If SUPPRE | SSED, | was o | estrog | en u | sed? | | |
| Not known0 | (5) | No | | F | 1029 | 19 | 1 | | |
| Have any genital tract infection? Yes1 | | Yes (spec | cify type | e) | | | 2 | | (19) |
| No2 | (10) | Not knov | | | | | | , l | |
| Not known0 | | INUE KHOV | VII | | | | . , . C | <i>'</i> | |
| None Ac291 1 | | 40 What typ | e of f | eed d | d the | e ba | by I | nave | |
| In superficial veins2 In deep veins | (11) | birth? | ch of ti کی۔ | ne 24 r | our p | perio | v 20 | tter | |
| Not known0 | (11) | during each | AU 50 | PO- PC | 3 N 3 | 00 | POT | 20.7 7.7.1 | |
| Have any enerations in nuornerium? | | | 1st | Zna 3 | ra 4th | | - DUII | /tn | |
| None AC292 1 | | None | 1 | 1 | | 1 | 1 | 1 | 20-23 |
| Sterilisation2 | ! | Water | 2 | 1 | 2 2 | 2 | 2 | 2 1 | |
| Other (specify)3 | (12) | Sugar solution Breast Milk | 3 4 | 1 1 | 3 3 | 3 4 | 3 4 | 4 | |
| N | | Dried milk | , | ' | ` ` | ' | ' | | 24-27 |
| Not known0 | | Full Cream | 5 | 5 : | 5 5 | 5 | 5 | 5 | Ī |
| Have any other morbidity or illness? No | | Half Cream | 6 | 6 | 6 | 6 | 6 | 6 | |
| Yes (specify) 2 | (13) | Humanised | 7 | 1 1 | 7 7 | 7 | 7 | 7 | 28-31 |
| res (specify) | (13) | Evaporated milk | 8 9 | 1 " 1 | 8 8 | 8 | 8 | 8 | |
| Not known0 | | Other Specify | " | 9 | 9 9 | 9 | 9 | 9 | |
| Have a haemoglobin estimation done? Yes1 | | Not known | 0 | 0 | 0 0 | 0 | 0 | 0 | 32-33 |
| No2 | (14) | | | | | | | | |
| Not known0 | | 41 Congenit | | | | | | | |
| 38 Was the baby medically examined | - | No abno | rmality | | AD: | 507 | 1 | | |
| within the first 24 hours? | ļ | Anencep | haly | | | | 2 | 2 | |
| Yes1 | | Spina bif | ida with | h hydro | cepha | alus | 3 | 3 | |
| No2 | (15) | Spina bi | fida wit | hout h | ydroc | epha | lus 4 | 1 | |
| Not known0 | | Hydroce | | | | | | | |
| If YES, by whom? | | Cleft lip | | | | | | | 34–35 |
| Consultant Obstetrician AC296A 1 | | ı | | | | | | | |
| Obstetric Registrar ACRIC B 2 Obstetric House Officer ACRIC 3 | | Down's | • | , | | • | | | |
| Consultant Paediatrician AC296D4 | 14.01 | Talipes | | | | | | | |
| Paediatric Registrar A0296E-5 | (16) | Abnorma | | | | | | | |
| Paediatric House Officer AC296F 6 | | Extra dig | its | | | | | l | |
| G.P. ACXIG T | | Naevi | | | | | | 2 | |
| Other (specify) AC296 H 8 | | Other (s | pecify) | | 1030 | 8 | (| 3 | |
| Not known0 | | DEGRE | E OF | CON | GEN | 117/ | AL 1 | 1BN | = A0309 |

| | What was the lowest recorded rectal temperature? | For Off Use O | | Did t | he baby | have ar | ny fits or AO 32 | convuls | sions? | For Office Use Only |
|-----|--|------------------|--|---|-------------|-----------|---------------------|----------------|-----------------|------------------------|
| | LUWEST RECORDED = A0310 | (36–3 | 7) | Not known0 | | | | | | (62) |
| | Date/April/1970 | (38-39 | 9) | | | | | | | |
| | Less than 24 hours of life AC3/1 1 | | | Did the baby have any "cerebral" signs? Yes (specify) | | | | | ins? | |
| | 24 hours or later2 | (40) | 1 | | | | | | | |
| | Not recorded 3 TIME RECORDED - A0312 Was a low reading thermometer i.e. recording | | | | | | | | _ | (63) |
| | Was a low reading thermometer i.e. recording 85°F (30°C) or lower used? | | | | | | | | i | |
| | Yes1 | | İ | Did 1 | the baby | have a | nv fractu | ıres? | | |
| | No | (41) | 1 | Ye | s (specif | y) | A032 | 3 | 1 | |
| | Not known0 | | 1 | No |) | | | | 2 | (64) |
| | Was the baby examined for congenital | | | No | t knowr | 1 | | | 0 | |
| | dislocation of the hip? | | | Did t | he baby | have a | cephalha | aematon | na? | |
| | Yes <u>AO3/4</u> 1 | | | | | | 10330 | | | |
| | No2 | (42) | l | | | | | | | (65) |
| | Not known0 | | 1 | | | | | | 0 | |
| | Had it been recorded on the case notes? | | | Did t | the baby | have " | sticky"_e | yes? | | |
| | Yes1 No2 | (43) | | | | | <u> 4033</u> | | | (66) |
| | Not known0 | i ' | | | | | | | | (66) |
| | Was the baby tested for phenylketonuria? | | | | | | | | | |
| | | | J | umbi | ilicus? | | a disc | | | |
| | Yes (specify method used)1 AO315 | | 1 | Ye | S | | A033, | 2 | 1 | |
| | No2 | (44) | 1 | | | | | | | (67) |
| | Not known0 | 1 | | | | | | | t t | |
| | Date <u>A0376</u> /April/1970 | (45-46) | | Were | e exchar | nge trans | sfusions | given? | | |
| | Was the baby jaundiced? | | | | | | A033. | | | |
| | Yes | | | | | | | | | (68) |
| | Less than 24 hours of life AO.317.1 | : | - 1 | | | | | | 0 | |
| | 24 hours or later2 | | - 1 | Were | e any op | erations | perform AU33 | ned? | | |
| | No3 | (47) | ł | | | | | | | |
| | Not known0 | | | | | | | | | (69) |
| | Maximum serum bilirubin level AC318 | (48–4 | · . | | | | | | | (00) |
| | Date AC319 /April/1970 Cause (if known) AC320 | (50-5 | 51) | | | | | | nditions | |
| | , | l i | | of th | e baby? | | | | | |
| | NATION AND THE PROPERTY OF THE | 52 | | Ye | s | | A033 | วั | 1 | |
| | Was the baby's blood sugar level taken? Yes1 | | | No | (70) | | | | | |
| | No | (53) | . 1 | No | | | | | | |
| | Not known0 | | i | | | | | | | |
| | Minimum level 40322 | (54–5 | 55) | 43 If the | he baby | was d | lischare what w | ged dur | date of | |
| | Date 40.32.3 /April/1970 | (56-5 | · . | the | last me | dical e | kaminat | tion? | | |
| | Age of baby if less than 24 hours $A0324$ | (58-5 | | AC. | 336 | ./April/1 | 1970 | | | (71-72 |
| | Did the baby develop any breathing difficul- | (50-5 | '" | Exar | nined by | , | | dr. 12 2 2 | | |
| | ties, including respiratory distress syndrome? | 1 | Consultant Obstetrician A0337A.1 Obstetric Registrar. A03376.2 | | | | | | <u>/1.1</u> | |
| | Yes (specify) A0325 1 | 1 | 1 | Ol | bstetric I | Registra | r | 10007 10023 | 12.2 10.0 | |
| | | İ | - 1 | Ol | ostetric I | House O | fficer trician | A0333 | T D 4 | |
| | No2 | (60 |) [| Co | onsultari | Pagaintre | trician ar | A033 | 7.65 | (73) |
| | Not known0 | l | - 1 | Pa | ediatric | House | Officer | AU33 | 7.F.6 | (73) |
| | Did the baby have cyanotic attacks? | l | - 1 | G | Р | | | AU337 | 47 | |
| | Yes1 | ł | - 1 | Ot | ther (spe | ecify) | | A0337 | 4H ₈ | |
| | No2 | (61 | , | | | | | | | |
| | Not known0 | , , , | , l | | | | | | | |
| | | ! | | | | · | | | | |
| 44 | Where was the baby cared for each | Day of | | | Days f | ollowin | a birth | | 1 | 7 |
| | day? | Birth | | - | | | ļ | <u> </u> | | |
| | | | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 7 |
| | Date | A0341 | 40349 | 40343 | A0.344 | A0.345 | A0346 | 40347 | 40348 | |
| _ | | 100011 | 100712 | 10.717 | 10011 | | | | | |
| , | mother's bed Day and night | 1 | 1 | 1 1 | 1 | 1 | 1 | 1 | 1 | |
| | Day only | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | (8-15) |
| | ward nursery | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | (0.0) |
| | special care unit | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | a neonatal surgical unit | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| Lis | ewhere (specify) | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |] |
| | | A0349 | A0350 | AU351 | A0352 | A0353 | 1 AC354 | + AU355 | AC 356 | |
| | a cot | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | an incubator | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | (16-23) |
| Els | ewhere (specify) | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | i |

If full P.M. report or registered cause of death not available: please send copies direct to 'The Secretary, National Birthday Trust Fund. 57 Lower Belgrave Street, London SW1' as soon as possible

Cause of death (attach P.M. report if available)

44-47

48-51

Page 8a

Q46. If the mother moved who was informed?

| | First Move | Second Move | Third Move |
|-------------------------|------------|-------------|------------|
| Person informed | A0366 | A0369 | A0372 |
| | | | |
| G.P | A0366A | A0369A | |
| Local Health department | A0366B | A0369B | |
| Midwife | | | |
| Domiciliary | A0366C | A0369C | |
| G.P. Unit | A0366D | A0369D | |
| Hospital or G.P. Unit | A0366E | A0369E | |
| Other (Specify) | A0366F | A0369F | |
| | | | |
| Method of informing | A0367 | A0370 | |
| Date of informing | A0368 | A0371 | |